

3C978 U.S. PTO
10/032102

12/31/01

BEST AVAILABLE COPY

U.S. UTILITY Patent Application

PATENT NUMBER and
ISSUE DATE

APPL NUM 10032102	FILING DATE 12/31/2001	CLASS 060	SUBCLASS 277	GAU 3748	EXAMINER B, TRAN
**APPLICANTS: Mukaihara Takashi; Ishii Toshio; Miura Kiyoshi; Kawano Kazuya;					
**CONTINUING DATA VERIFIED: THIS APPLICATION IS A CON OF 09/610,106 07/05/2000 PAT 6,343,466 WHICH IS A CON OF 08/867,335 06/02/1997 ABN WHICH IS A CON OF 08/663,942 06/14/1996 PAT 5,649,420 WHICH IS A CON OF 08/233,398 04/26/1994 PAT 5,526,643					
** FOREIGN APPLICATIONS VERIFIED: JAPAN 5-99765 04/26/1993					
PG-PUB <input type="checkbox"/> DO NOT PUBLISH <input type="checkbox"/>		RESCIND <input type="checkbox"/>			
Foreign priority claimed <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		35 USC 119 conditions met <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		ATTORNEY DOCKET NO	
Verified and Acknowledged Examiners's initials		B		381TO/41670C4	
TITLE : System for diagnosing deterioration of catalyst					
U.S. DEPT. OF COMM./PAT. & TM-PTO-436L (Rev. 12-94)					

NOTICE OF ALLOWANCE MAILED		CLAIMS ALLOWED	
		Total Claims	Print Claim for O.G.
ISSUE FEE		DRAWING	
Amount Due	Date Paid	Sheets Drawg.	Figs. Drawg.
		Print Fig.	
<input type="checkbox"/> TERMINAL DISCLAIMER		Application Examiner	
		PREPARED FOR ISSUE	
WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368, Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.			

FILED WITH:

☐ DISK (CRF)

☐ CD-ROM

(Attached in pocket on right inside flap)